
























# SUD Diagnostic Annual Report - Justice Involved Services

The Division of Behavioral Health (DBH) monitors data and outcomes for publicly funded behavioral health services. Behavioral Health data is collected and compiled through the State Treatment Activity Reporting System (STARS). This report reflects data entered into STARS by contracted providers for targeted services for adult and youth justice involved clients receiving substance use disorder treatment services.

## Substance Use Disorder Diagnosis Trends for Youth

Figure 13 illustrates a five-year trend for the percent of youth clients served in justice involved services with a primary substance use disorder. Cannabis use disorders account for 54% or 13 clients served, followed by all other substances[2] (42% or 10 clients), and alcohol (4% or 1 client).

Figure 13: Justice Involved Substance Use Disorder Diagnosis Trends for Youth



[1] Opioids include heroin, other opiates and synthetic opiates.

[2] All other substances include cocaine substance use, other substance use, inhalant substance use, polysubstance substance use, sedative substance use, hallucinogen substance use, and phencyclidine (PCP) substance use.

Primary Diagnosis	FY19 N	FY19 %	FY20 N	FY20 %	FY21 N	FY21 %	FY22 N	FY22 %	FY23 N	FY23 %
Cannabis Use Disorder	11	92%	62	76%	62	83%	29	85%	13	54%
Other Use Disorder			3	4%	1	1%			10	42%
Alcohol Use Disorder	1	8%	16	20%	9	12%	5	15%	1	4%
Amphetamine Use Disorder			1	1%	1	1%				
No Diagnosis/ Deferred					1	1%				
Opioid Use Disorder					1	1%				
<b>Total</b>	<b>12</b>	<b>100%</b>	<b>82</b>	<b>100%</b>	<b>75</b>	<b>100%</b>	<b>34</b>	<b>100%</b>	<b>24</b>	<b>100%</b>

# MH Diagnostic Annual Report - All Publicly Funded Services


The Division of Behavioral Health (DBH) monitors data and outcomes for publicly funded behavioral health services. Behavioral Health data is collected and compiled through the State Treatment Activity Reporting System (STARS). This report reflects data entered into STARS by Community Mental Health Centers for publicly funded clients receiving behavioral health services.

## Publicly Funded Mental Health Diagnosis Trends for Adults

Figure 1 describes the percentage of adults with a mental health disorder diagnosis who received behavioral health services funded by the Division of Behavioral Health. Depression disorders account for 34% or 3,552 of adult diagnoses, followed by anxiety, stress, and trauma disorders (33% or 3,482 clients), schizophrenia spectrum disorders (13% or 1,347 clients), bipolar disorders (10% or 1,051 clients), and other disorders (7% or 720 clients).

Adult Diagnosis Type	FY19 N	FY19 %	FY20 N	FY20 %	FY21 N	FY21 %	FY22 N	FY22 %	FY23 N	FY23 %
Depressive Disorder	3650	34%	3515	34%	3404	34%	3550	33%	3552	34%
Anxiety, Stress, and Trauma Disorders	2729	26%	2795	27%	2884	29%	3372	31%	3482	33%
Schizophrenia Spectrum	1388	13%	1341	13%	1353	13%	1381	13%	1347	13%
Bipolar Disorder	1070	10%	1037	10%	1040	10%	1081	10%	1051	10%
Other Disorders	810	8%	734	7%	721	7%	761	7%	720	7%
Diagnosis Deferred & No diagnosis or condition	1114	10%	1006	10%	833	8%	683	6%	475	5%
<b>Total</b>	<b>10645</b>	<b>100%</b>	<b>10305</b>	<b>100%</b>	<b>10113</b>	<b>100%</b>	<b>10737</b>	<b>100%</b>	<b>10538</b>	<b>100%</b>

Figure 1: Mental Health Diagnosis for Adults



# MH Diagnostic Annual Report - All Publicly Funded Services

The Division of Behavioral Health (DBH) monitors data and outcomes for publicly funded behavioral health services. Behavioral Health data is collected and compiled through the State Treatment Activity Reporting System (STARS). This report reflects data entered into STARS by Community Mental Health Centers for publicly funded clients receiving behavioral health services.

## Publicly Funded Mental Health Diagnosis Trends for Youth

Figure 2 describes the top 5 mental health disorders for youth who received behavioral health services funded by the Division of Behavioral Health. Anxiety, stress, and trauma disorders account for 65% or 4,006 of youth diagnoses, followed by ADHD disorders (13% of 793 clients), depressive disorders (12% or 724 clients), conduct disorders (7% or 421), and developmental disorders (1% or 42 clients).

Youth Diagnosis Type	FY19 N	FY19 %	FY20 N	FY20 %	FY21 N	FY21 %	FY22 N	FY22 %	FY23 N	FY23 %
Anxiety, Trauma, and Stress Disorder	3820	56%	3932	59%	3918	63%	4036	64%	4006	65%
ADHD	964	14%	918	14%	810	13%	788	13%	793	13%
Depressive Disorder	831	12%	784	12%	766	12%	778	12%	724	12%
Conduct and Impulse-Control Disorders	652	10%	570	9%	473	8%	430	7%	421	7%
Diagnosis Deferred & No diagnosis or condition	408	6%	377	6%	246	4%	222	4%	127	2%
Developmental Disorders	135	2%	93	1%	72	1%	56	1%	42	1%
Other Disorders	30	0%	24	0%	24	0%	31	0%	40	1%
Schizophrenia Spectrum	18	0%	13	0%	19	0%	20	0%	21	0%
Bipolar Disorder	17	0%	17	0%	18	0%	19	0%	20	0%
<b>Total</b>	<b>6765</b>	<b>100%</b>	<b>6615</b>	<b>100%</b>	<b>6267</b>	<b>100%</b>	<b>6298</b>	<b>100%</b>	<b>6120</b>	<b>100%</b>

Figure 2: Top 5 Mental Health Diagnosis for Youth

